

Appendix 5

Drug Swab Record

PREMISES: Olivers
DATE: 29 June 2012

OFFICER DETAILS: Sgt 588 Carsley
TIME: 21.40 hours


SWAB	LOCATION IN PREMISES	COCAINE READING	OTHER READINGS	PROPERTY REF NUMBER
1	Ladies handdryer	-	2.51 moa	
2	Ladies 1 st cubicle toilet lid	1.28		
3	Mens toilet roll holder	5.45		
4	Mens back of cistern	1.07		
5	Mens toilet lid	1.38		
6	Ladies back of cistern cubicle 1	1.01		
7	Ladies cistern cubicle 2		4.89 moa	
8	Ladies 2 nd cubicle toilet lid	-		
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

Letter sent to David Oliver 2/7

Mobile Tel no of DPS:
Email Address of Pub or DPS:

PLEASE RETURN THIS SHEET WITH SWABS TO SOUTHERN LICENSING,
BURTON POLICE STATION.

DOCUMENT #36757 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:48:13



Mr Oliver
 Olivers
 19 Lower Gungate
 Tamworth
 Staffordshire
 B79 7AT

Contact: Sgt 588 Carsley
 Direct Line: 01785/234722
 Fax: 01785/ 233772
 Our ref:
 Your ref:
 Date: 28 August 2012

Dear Mr Oliver

Re: Olivers, Lower Gungate, Tamworth

On Friday 24th August licensing checks were carried out in the Tamworth area and premises routinely swabbed for the presence of narcotics.

Your venue was one those tested. We have found that a number of swabs showed trace of drugs including cocaine. The tests were as follows:

	Cocaine	MDNA
Female toilets, single toilet cistern	1.05	
Male toilet, cistern	4.43	

As a guide to the results the drug machine manufacturers guidance is as follows:

- 1 - 2 - mainly secondary contamination eg bank note etc
- 3 - 4 - medium/small drugs problem
- 4 - 5 - possible drugs problem at premises
- 6 and over - drugs problem at premises

You may wish to consider the following points in order to try and combat any drug usage within your premises:

1. CCTV on the exterior of the toilets
2. Hourly checks of toilets by staff to include checking the cistern for discarded bags
3. Ultraviolet lights on the outside of toilets
4. Ultraviolet lights on the bar
5. Staff training in the identification of signs and symptoms of drugs use
6. Notices displayed stating a zero tolerance policy on drug use in your premises
7. Policy and procedure on drug finds including continuity of evidence and informing police

I am sure that you would wish to support the police in ensuring that your premise remains drug free, and should you wish any further support or advice please feel free to contact us on 01785 238222.

Yours sincerely

Sgt 588 Tracey Carsley
 Southern Licensing Unit

www.staffordshire.police.uk



DOCUMENT #36757 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:48:13

DOCUMENT #37308 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:26:47



Mr David John Oliver
Olivers
19 Lower Gungate,
Tamworth,
Staffordshire
B79 7AT

Contact: Sgt 588 Carsley
Direct Line: 01785/234722
Fax: 01785/ 233772
Our ref:
Your ref:
Date: 02 October 2012

Dear Mr Oliver

Re: Olivers

On 28th September 2012 licensing checks were carried out in the Tamworth area and premises routinely swabbed for the presence of narcotics.

Your venue was one those tested. We have found that a number of swabs showed trace of drugs including cocaine. The tests were as follows:

	Cocaine	MDMA
Female hand dryer	-	-
Female cistern lid	-	-
Female cubicle 1 toilet roll	-	-
Female cubicle 2 cistern lid	-	-
Female cubicle 3 cistern lid	-	-
Male cubicle 1 cistern lid	3.66	1.43
Male window sill	-	-

As a guide to the results the drug machine manufacturers guidance is as follows:

- 1 - 2 - mainly secondary contamination eg bank note etc
- 3 - 4 - medium/small drugs problem
- 4 - 5 - possible drugs problem at premises
- 6 and over - drugs problem at premises

You may wish to consider the following points in order to try and combat any drug usage within your premises:

1. CCTV on the exterior of the toilets
2. Hourly checks of toilets by staff to include checking the cistern for discarded bags
3. Ultraviolet lights on the outside of toilets
4. Ultraviolet lights on the bar
5. Staff training in the identification of signs and symptoms of drugs use
6. Notices displayed stating a zero tolerance policy on drug use in your premises
7. Policy and procedure on drug finds including continuity of evidence and informing police

I am sure that you would wish to support the police in ensuring that your premise remains drug free, and should you wish any further support or advice please feel free to contact us on 01785 238222.

Yours sincerely

Sgt. 0588 Tracey Carsley
Southern Licensing Manager

www.staffordshire.police.uk



DOCUMENT #37308 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:26:47

DOCUMENT #38679 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:26:14



Keeping our communities
safe and reassured



Mr David John Oliver
Olivers
19 Lower Gungate
Tamworth
Staffordshire
B79 7AT

Contact: Sgt 555 Carsley
Direct Line: 01785/234722
Fax: 01785/ 233772
Our ref:
Your ref:
Date: 06 December 2012

Dear Mr Oliver

Re: Olivers

On 30th November 2012 licensing checks were carried out in the Tamworth area and premises routinely swabbed for the presence of narcotics.

Your venue was one those tested. We have found that a number of swabs showed trace of drugs including cocaine. The tests were as follows:

	Cocaine	Other
Ladies hand dryer	3.81	
Ladies cubicle 2 cistern lid	1.62	
Ladies cubicle 2 toilet lid	"	
Ladies cubicle 1 cistern lid	"	1.36 Heroin
Ladies cubicle 1 toilet lid	"	
Ladies cubicle 3 cistern lid	2.57	
Ladies cubicle 3 toilet lid	"	
Gents cubicle 1 cistern lid	1.24	
Gents window sill	1.03	1.03 Heroin
Gents toilet lid	"	

As a guide to the results the drug machine manufacturers guidance is as follows:

- 1 - 2 = mainly secondary contamination eg bank note etc
- 3 - 4 = medium/small drugs problem
- 4 - 5 = possible drugs problem at premises
- 6 and over = drugs problem at premises

You may wish to consider the following points in order to try and combat any drug usage within your premises:

1. CCTV on the exterior of the toilets
2. Hourly checks of toilets by staff to include checking the cistern for discarded bags
3. Ultraviolet lights on the outside of toilets
4. Ultraviolet lights on the bar
5. Staff training in the identification of signs and symptoms of drugs use
6. Notices displayed stating a zero tolerance policy on drug use in your premises
7. Policy and procedure on drug finds including continuity of evidence and informing police

www.staffordshire.police.uk



DOCUMENT #38679 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:26:14

DOCUMENT #39106 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:25:43



Mr David John Oliver
Olivers
19 Lower Gungate
Tamworth
Staffordshire
B79 7AT

Contact: Sgt 588 Carsley
Direct Line: 01785/234722
Fax: 01785/233772
Our ref:
Your ref:
Date: 27 December 2012

Dear Mr Oliver

Re: Olivers

On 20th December 2012 licensing checks were carried out in the Tamworth area and premises routinely swabbed for the presence of narcotics.

Your venue was one those tested. We have found that a number of swabs showed trace of drugs including cocaine. The tests were as follows:

	Cocaine	Other
Ladies top of ledge left	1.93	
Ladies top of ledge right	-	
Ladies sink	-	
Ladies top of ledge single toilet	-	
Gents small ledge	2.34	
Gents ledge in toilet	1.55	
Gents toilet roll holder	5.69	

As a guide to the results the drug machine manufacturers guidance is as follows:

- 1 - 2 - mainly secondary contamination eg bank note etc
- 3 - 4 - medium/small drugs problem
- 4 - 5 - possible drugs problem at premises
- 6 and over - drugs problem at premises

You may wish to consider the following points in order to try and combat any drug usage within your premises

1. CCTV on the exterior of the toilets
2. Hourly checks of toilets by staff to include checking the cistern for discarded bags
3. Ultraviolet lights on the outside of toilets
4. Ultraviolet lights on the bar
5. Staff training in the identification of signs and symptoms of drugs use
6. Notices displayed stating a zero tolerance policy on drug use in your premises
7. Policy and procedure on drug finds including continuity of evidence and informing police

www.staffordshire.police.uk



DOCUMENT #39106 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:25:43

DOCUMENT #39561 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:25:20



Mr Oliver
Olivers
19 Lower Gungate
Tamworth
Staffordshire
B79 7AT

Contact: Sgt 588 Carsley
Direct Line: 01785/234722
Fax: 01785/ 233772
Our ref:
Your ref:
Date: 21 January 2013

Dear Mr Oliver

Re: Olivers, Tamworth

On Saturday 19th January 2013 licensing checks were carried out in the Tamworth area and premises routinely swabbed for the presence of narcotics.

Your venue was one those tested. We have found that a number of swabs showed trace of drugs including cocaine. The tests were as follows:

	Cocaine	MOMA
Female cubicle 1 cistern lid	1.26	
Female cubicle 1 toilet lid	1.45	
Female cubicle 2 cistern lid	1.84	
Female cubicle 2 toilet roll	"	
Female cubicle 3 cistern lid	"	
Female cubicle 3 toilet lid	"	
Male cistern lid	1.22	
Male toilet lid	"	
Male windowsill	"	

As a guide to the results the drug machine manufacturers guidance is as follows:

- 1 - 2 - mainly secondary contamination eg bank note etc
- 3 - 4 - medium/small drugs problem
- 4 - 5 - possible drugs problem at premises
- 6 and over - drugs problem at premises

You may wish to consider the following points in order to try and combat any drug usage within your premises:

1. CCTV on the exterior of the toilets
2. Hourly checks of toilets by staff to include checking the cistern for discarded bags
3. Ultraviolet lights on the outside of toilets
4. Ultraviolet lights on the bar
5. Staff training in the identification of signs and symptoms of drugs use
6. Notices displayed stating a zero tolerance policy on drug use in your premises
7. Policy and procedure on drug finds including continuity of evidence and informing police

I am sure that you would wish to support the police in ensuring that your premise remains drug free, and should you wish any further support or advice please feel free to contact us on 01785 238222.

Yours sincerely

Tracey Carsley

Sgt. 0588 Tracey Carsley
Southern Licensing Manager

www.staffordshire.police.uk



DOCUMENT #39561 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:25:20

DOCUMENT #41949 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:37:01



Mr David John Oliver
Olivers
19 Lower Gungate
Tamworth
Staffordshire
B79 7AT

Contact: Sgt 588 Carsley
Direct Line: 01785/234722
Fax: 01785/ 233772
Our ref:
Your ref:
Date: 11 April 2013

Dear Mr Oliver

Re: Olivers

On 6th April 2013 licensing checks were carried out in the Tamworth area and premises routinely swabbed for the presence of narcotics.

Your venue was one of those tested. We have found that a number of swabs showed trace of drugs including cocaine. The tests were as follows:

Location	Cocaine	MDMA	Other
Ladies left cubicle wooden mantle	-	-	-
Ladies top of towel dispenser next to sink	-	-	-
Ladies left cubicle toilet roll holder	1.44	-	-
Ladies left cubicle toilet seat	-	-	-
Ladies right cubicle top of mantle	-	-	-
Ladies right cubicle toilet roll holder	-	-	-
Ladies right cubicle toilet seat lid	-	-	-
Gents right cubicle mantle	2.33	-	-
Gents right cubicle window sill	-	-	-
Gents toilet seat lid	-	-	-
Gents top of toilet roll dispenser	-	-	-

As a guide to the results the drug machine manufacturers guidance is as follows:

- 1 - 2 - mainly secondary contamination eg bank note etc
- 3 - 4 - medium/small drugs problem
- 4 - 5 - possible drugs problem at premises
- 6 and over - drugs problem at premises

You may wish to consider the following points in order to try and combat any drug usage within your premises:


1. CCTV on the exterior of the toilets
2. Hourly checks of toilets by staff to include checking the cistern for discarded bags
3. Ultraviolet lights on the outside of toilets
4. Ultraviolet lights on the bar
5. Staff training in the identification of signs and symptoms of drugs use
6. Notices displayed stating a zero tolerance policy on drug use in your premises
7. Policy and procedure on drug finds including continuity of evidence and informing police

www.staffordshire.police.uk



DOCUMENT #41949 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:37:01

DOCUMENT #43020 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:36:11



Mr Oliver
 Olivers
 19 Lower Gungate
 Tamworth
 Staffordshire
 B79 7AT

Contact: Sgt 688 Carsley
 Direct Line: 01785/234722
 Fax: 01785/ 233772
 Our ref:
 Your ref:
 Date: 10 May 2013

Dear Mr Olive

Re Olivers

On Sunday 5th May 2013 licensing checks were carried out in the area and premises routinely swabbed for the presence of narcotics.

Your venue was one of those tested. We have found that a number of swabs showed trace of drugs including cocaine. The tests were as follows:

Location	Cocaine	MDMA	Other
Gents toilets window shelf behind the door	-		
Gents toilets cubicle window sill	-		
Gents toilets cubicle cistern lid	3.52		

As a guide to the results the drug machine manufacturers guidance is as follows:

- 1-2 -- mainly secondary contamination eg bank note etc
- 3-4 -- medium/small drugs problem
- 4-5 -- possible drugs problem at premises
- 6 and over - drugs problem at premises

You may wish to consider the following points in order to try and combat any drug usage within your premises:

1. CCTV on the exterior of the toilets
2. Hourly checks of toilets by staff to include checking the cistern for discarded bags
3. Ultraviolet lights on the outside of toilets
4. Ultraviolet lights on the bar
5. Staff training in the identification of signs and symptoms of drugs use
6. Notices displayed stating a zero tolerance policy on drug use in your premises
7. Policy and procedure on drug finds including continuity of evidence and informing police

I am sure that you would wish to support the police in ensuring that your premise remains drug free, and should you wish any further support or advice please feel free to contact us on 01785 238222.

Yours sincerely

Tracey Carsley

Sgt. 0588 Tracey Carsley
 Southern Licensing Manager

www.staffordshire.police.uk



DOCUMENT #43020 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 10/10/2013 15:36:11

DOCUMENT #48106 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 16/10/2013 11:55:01



FAO: MR DAVID OLIVER
 OLIVERS
 19 LOWER GUNGATE
 TAMWORTH
 B79 7AT

Contact: Sgt 588 Carsley
 Direct Line: 01785 234722
 Mobile: 07970 249753
 Fax: 01785 233772
 Email: tracey.carsley@staffordshire.pnn.police.uk
 Date: 11 October 2013

Dear Mr Oliver

Re DRUG SWABBING

On 18th September 2013 licensing checks were carried out in the Tamworth area and premises routinely swabbed for the presence of narcotics.

Your venue was one of those tested. We have found that a number of swabs showed trace of drugs including cocaine. The tests were as follows:

Location	Cocaine	MDMA	Other
MENS BASIN	1.46		
MENS CUB FIRST ON RIGHT	2.46		
MENS CUB SECOND ON RIGHT			
LADIES BASIN			
LADIES CUB FIRST ON RIGHT			
LADIES CUB SECOND			

As a guide to the results the drug machine manufacturers' guidance is as follows:

- 1 - 2 - mainly secondary contamination e.g. bank note etc
- 3 - 4 - medium/small drugs problem
- 4 - 6 - possible drugs problem at premises
- 6 and over - drugs problem at premises

You may wish to consider the following points in order to try and combat any drug usage within your premises:

1. CCTV on the exterior of the toilets
2. Hourly checks of toilets by staff to include checking the cistern for discarded bags
3. Ultraviolet lights on the outside of toilets
4. Ultraviolet lights on the bar
5. Staff training in the identification of signs and symptoms of drugs use
6. Notices displayed stating a zero tolerance policy on drug use in your premises
7. Policy and procedure on drug finds including continuity of evidence and informing police

I am sure that you would wish to support the police in ensuring that your premise remains drug free, and should you wish any further support or advice please feel free to contact us on 01785 236222.

Yours sincerely

Tracey Carsley

Sgt. 0588 Tracey Carsley
 Southern Licensing Manager

www.staffordshire.police.uk



DOCUMENT #48106 - NOT PROTECTIVELY MARKED - STAFFSPOLICE\06582 - 16/10/2013 11:55:01