Potential polling place / polling station – evaluation checklist

Part A – Potential polling place details					
Polling place identifier	Sacred Heart Roman Catholic Church				
Polling place name	Sacred Heart Roman Catholic Church				
Polling place address	Silver Link Road				
	Glascote Heath				
	Tamworth				
	B77 2EA				
	GL1 – 1,582 electors split station				
Number of electors					
(If more than one	GL3 = 970 electors				
polling station within the					
polling place, identify	Total = 1,679				
split of electors)					
	3 Stations in total				
Number of postel votors GL1 = 257					
Number of postal voters	GL3 = 105				
Building availability for					
future	Yes but must ensure that	at it is b	ooked in advance.		
elections/referendums					
Polling place review					
Check			Comment		
Are there suitable tra	Are there suitable transport links?		Bus stopped is located opposite		
			the church.		
Are there any access	s issues regarding	No			
main/busy roads, rail					
Is the polling place call	•	Yes	Two rooms within the church		
accommodating more			would need to be utilised. The		
station together with the necessary staff and			larger of these rooms would be		
equipment? If so, could it accommodate all			used for the split station.		
allocated voters going in and out of the			•		
polling stations, even where there is a high					
turnout?					
Is the building readily available in the event		Yes	But as much notice as possible		
	of any unscheduled elections?		would need to be given.		
Is there any possibility that the building may		No			
be demolished as part of a new					
development?					


Identify any complaints/comments received from stakeholders at previous electoral events

The Headteacher of Glascote Heath Primary contacted the Elections Office and asked if we could have a look into relocating the polling station. The school suggested the Church and as it is adjacent to the school this should caused no inconvenience should this polling station be relocated. This location also offers ample car parking and suits the needs of the disabled voter far better. The management team at the Church are more than happy to accommodate us for polling day and are very active within the local community. A move to the church would also incur a small cost saving compared to the fees charged by the school.

The church has offered their facilities for a fee of £200 compared to £268 charged by the school.

Page 33

Part B – External areas access and facilities				
Check		Comments		
 Are there good public transport links to the polling place? 	Yes	Bus stop across the road		
• Is the approach to the building safe and free from obstructions and does it have a dropped kerb?	Yes	The premises are accessed via a large car park to the front.		
Is the building clearly identifiable?	Yes			
Is additional signage required between street and entrance?		If additional signage is needed this could be placed upon the fence boarding the road		
• Is there the facility to put up the required signage for polling day?	Yes			
Are there parking facilities for disabled people?	Yes	There are several dedicated disabled parking spaces that are located directly in front of the main entrance.		
 Are there parking facilities for polling staff? 	Yes			
 Does the approach to the building have external lighting? 	Yes			
Does the building have level access? Yes/No. If no –	Yes			
Has a purpose built ramp been installed?If so, does it have a handrail?Does the ramp have a gentle slope?				
 Does the building require a temporary ramp or is there an alternative disabled access? 				
 Is the entrance door wide enough for a disabled person using a motorised wheelchair? 	Yes			
Are the doors light enough for frail/elderly voters to open?	Yes			
Can the 'Guidance for voters' notice be clearly displayed outside the premises, as required by the election rules?	Yes			
Are there any external security concerns?	No			
Can tellers be accommodated outside the building?	Yes			




Page 35

Part C – Internal areas access and facilities				
Check		Comments		
 Are all doors easy to open (including by wheelche users) or do they need to be permanently locked back? 	air Yes			
 Are there any internal steps or obstructions/hazards? 	No			
Are any doormats level with the floor?	Yes			
 Is the floor covering non-slip (including in wet weather)? 	Yes			
 Are there any corridors that may cause access problems? 	No			
 Is there adequate lighting in the corridors? 	Yes			
Are there toilet facilities?	Yes	Including disabled facilities.		
Is there a kitchen that staff can use?	Yes			
Is the area adequately lit for day and night time?	Yes			
Is there adequate space for signage?	Yes			
How many polling stations can the building accommodate?	3/4			
Does the building have a telephone available (lan line) in the event of mobile network problems?	d Yes			

Part D – The polling station(s)				
Check		Comments		
 Is there sufficient space to accommodate and manage the flow of a high volume of electors in the case of a high turnout of electors? 	Yes			
 If multiple polling stations need to be provided, are there other rooms available, or can the space be clearly divided to provide adequate room for more than one polling station? 	Yes	There are two separate rooms that are large enough to accommodate busy polling stations.		
 Is there sufficient space inside the polling station to comfortably accommodate staff, voters, polling agents and observers? 	Yes			
Could ballot booths be positioned in a way that would preserve the secrecy of the ballot, even where there may be a high volume of electors?				
 Is there adequate lighting for day and night time? 	Yes			
 Is there suitable furniture (tables and chairs) available for all types of election for polling staff and for those voters who may need to rest? 	Yes			
Could motorised wheelchairs be accommodated?	Yes			
 Can the official notices be clearly displayed, including the large-print version of the ballot paper(s)? 	Yes			

Internal – The polling station(s) – D1

Polling Station 1 – GL1 split station **Dimensions**: 7.5m x 10m






Station 2 - GL3
Dimensions: 7.6m x 6m







GLASCOTE HEATH PRIMARY SCHOOL

Silver Link Road, Tamworth, Staffordshire B77 2EA

Telephone: 01827 475000

Fax: 01827 475001

e-mail: office@glascoteheath.staffs.sch.uk

Head Teacher: Ws N Poore Mrs M. Hamblin

25th April 2013

Bernadette Flanagan, Elections Officer, Tamworth Borough Council, Marmion House, Lichfield Street, TAMWORTH, Staffordshire, B79 9BZ.

Dear Bernie,

Elections - 2014

Further to your email of 3rd April 2013, with regard to Tamworth Borough and European Parliamentary Elections to be held in 2014, I have to advise that Glascote Heath Primary School will be unavailable for use as a Polling Station next year.

As I am sure you will appreciate, not only does it mean using our valuable allocation of "Inset Days" for this purpose, but pupils' have SATs examinations in May, and I am not prepared to disrupt their learning time more than absolutely necessary. Also, having spoken to parents who work, it is difficult for them to arrange childcare for these occasional days.

Yours sincerely,

Maria Hamblin (Mrs)

Man Hart.

Headteacher